ESSEX INSTITUTE
SEP 24 1906
SALEM, MASS.

VOL. IV. SEPTEMBER, 1906 NOS. 65-66

MYCOLOGICAL BULLETIN

W A. KELLERMAN, Ph. D. OHIO STATE UNIVERSITY

ENTERED AS SECOND CLASS MATTER MAY 11, 1906, AT THE POSTOFFICE AT COLUMBUS, OHIO.

Edited and Published by
W. A. KELLERMAN

Press of VANCE-POLAND CO.
Columbus, Ohio

589.22
M99

CARD
CATALOGUED.

FOR SALE

Half-tone Portraits of the following eminent Mycologists:
Peck, Ellis, Arthur, Burrill, Farlow, Tracy, Earle, Atkinson, Holway, Thaxter, Clinton, Magnus, Oudemans, Patouillard, Hennings, Rehm, Cooke, Saccardo, Dietel, Sydow, P.. Sydow, H., Hollis and Bresadola, each 10 cts

Mycological Bulletin, Vol. I, 1903	50 cts.
" " " II, 1904	50 cts.
" " " III, 1905	50 cts.
" " Current volume	25 cts.
Mycological Glossary	25 cts
North American Species of Marasmius (a Monograph by Morgan)	50 cts.
Journal of Mycology, Vol 8—1902	$2 00
" " " 9—1903	2 00
" " " 10—1904	2 00
" " " 11—1905	2 00
" " " Current Vol	2 00

W. A. Kellerman, Columbus, Ohio

THIS SPACE TO LET

THE BRYOLOGIST

For 1906, Vol. 9, will continue the series of articles on Lichens and Hepatics. The Mosses will receive ample treatment and all classes be fully illustrated. It is indispensable to the bryologist as well as the amateur. It is the organ of the Sullivant Moss Chapter and all interested in the study are invited to join. Membership dues $1.10 a year, carries subscription to the journal. Single subscriptions $1.00 a year. Send for sample copy. Issued bi-monthly. Address

MRS. ANNIE MORRILL SMITH

78 Orange Street Brooklyn, N. Y.

THE NATURE-STUDY REVIEW

525 W. 120 Street, New York

A monthly magazine for progressive teachers of nature-study and elementary science. $1.00 per year (9 issues), 15 cents a copy Sample copy for three 2c stamps.

If you are interested in nature-study send your name and address on a postal card, mentioning "Mycological Bulletin."

When answering advertisement mention Mycological Bulletin.

When answering advertisement mention Mycological Bulletin.

Mycological Bulletin

Nos. 65-66

W. A. Kellerman, Ph. D., Ohio State University
Columbus, September, 1906

A WORD OR TWO BY THE EDITOR.

Our coadjutors who have made it possible to issue a very interesting Number have our special thanks—and others are also urged to make contributions in the way of short articles, notes, specimens, and photographs.

The note on Spore discharge of Bulgaria is interesting, and others will doubtless test the conclusion which O. E. Jennings has announced, namely, that the factor inducing it is alternate expansion and contraction of the spore bearing surface, due to varying degrees of heat, and that a varying moisture content can, at least, be of but secondary importance.

In Mushroom Literature we have given much space to the nice work of Gertrude E. Douglas on the rate of growth of one of the common mushrooms. Much is said by people on "Mushroom Growth," yet I think little exact knowledge can be claimed. Miss Douglas has set an example for others to imitate in this matter. We continue also to press Professor Atkinson into service—but his book on Mushrooms is full of good things and we therefore do not promise to refrain from "copying" again in the future. These suggestions on the uses of mushrooms should be read the second time.

Besides acknowledgments for other assistance, it is quite appropriate to call special attention to the excellent picture of Polyporus umbellatus the photograph of which was kindly furnished by Fred Mutchler, of Clark University.

A NOTE ON THE DISCHARGE OF SPORES IN BULGARIA RUFA.

Otto E. Jennings, Carnegie Museum.

In connection with a note in Torreya[1] by Mr. C. C. Hanmer, mentioned recently in the Mycological Bulletin,[2] a few remarks upon the manner of spore-discharge in *Bulgaria rufa* Schweinitz may be of possible interest.

Mr. Hanmer says in the note referred to that "I have upon numerous occasions observed the momentary expulsion of spores from fungi such as *Bulgaria rufa* and *Sarcoscypha floccosa*, but with these plants the spore discharge seems to occur when they are first touched, and then only."

In early July, Mrs. O. E. Jennings collected a fine specimen of Bulgaria rufa in rich, swampy woods, near my father's home in northern Ohio. Returning from the woods about the middle of the after-

[1]A note regarding the Discharge of Spores of Pleurotus ostreatus. C. C. Hanmer. Torreya, 5: 146-147. August, 1905.

[2]Notes from Mushroom Literature, I. W. A. Kellerman. Mycological Bulletin, 4: 234-236. June, 1906.

noon the various fungi collected, together with the specimen of Bulgaria, were placed for the remainder of the day upon a hot, dry roof, exposed to the sun. In the evening the fungi were placed upon a wire rack above the kitchen stove. About nine o'clock the next morning, I was examining the Bulgaria, when to my surprise it emitted a considerable cloud of spores. Curious as to the factors inducing such a discharge, I soon found that upon breathing gently upon the spore-bearing surface a discharge would take place after an interval of about two to three seconds. Experimenting further I found that a discharge could also be induced by holding the fungus in the bright, warm sunshine for a few minutes, and then quickly placing it in the cool shade for two or three seconds.

After probably twenty minutes of experimenting, during which time the Bulgaria had discharged a dozen or more clouds of spores, I was unable to bring about any further results, the spores apparently being exhausted.

The inferences to be drawn from the behavior of this particular specimen seem to be that;—

The factor inducing spore discharge is alternate expansion and contraction of the spore-bearing surface, due to varying degrees of heat, and that a varying moisture content can, at least, be of but secondary importance. Also, *Bulgaria rufa* is, at least under certain conditions, capable of dischargirg puffs of spores, not only when first touched, but successively at intervals, for some time after.

CARNEGIE MUSEUM. August 2, 1906.

Fig. 200. MA-RAS'-MI-US DE-LEC'-TANS. This charming plant was collected in the woods at Sugar Grove, Ohio, by R. A. Young, July 28, 1906. It is a new species which Prof. Morgan has recently described.

NOTES FROM MUSHROOM LITERATURE III.

W. A. Kellerman.

PANAEOLUS RETIRUGIS.—Some observations on the Rate of Growth of Panaeolus retirugis are published in the August number of Torreya, 1906. These were carried out in the palm-house of the Cornell University conservatory by Gertrude E. Douglas, in March of this year. We make the following extracts from her interesting account.

Fig. 201. PO-LY'-PO-RUS IG-NI-A'-RI-US. A very common woody Polypore that grows on Black Locust trees. In his revision of the species of the family Polyporaceae W. A. Murrill has given to this plant the new generic name of *Py'-ro-po-ly-po-rus*.

"As the rate of growth of mushrooms is a matter of some interest, individuals of this species were selected in as early stages as possible, and measured twice a day, until they had reached maturity. These measurements were taken in the morning and evening at the same time every day, the day interval between them being of eight hours and the night of sixteen. A large number of individuals were measured during the period from March 22 to April 4, but complete records were obtained from only eighteen, owing to the sensitiveness of the mushrooms. * * *

"As No. A was a very typical specimen, and as the most complete record was obtained of this, I shall describe its growth in some detail. The first measurements were taken in the morning. During the first 8-hour period by day. the plant did not change. However, during the following night, it began to grow slowly until it was 10 mm. high. On the following day, the stem entered on a period of very active growth, which lasted about fifty-six hours, until the plant was 145 mm. high. During this period of active growth, the rate at first increased, and then decreased slightly. The stem continued growing slowly for sixteen hours after this rapid growth interval.

The pileus began to grow slowly at the same time as the stem. It increased steadily, but slowly, for sixty-four hours, with width remaining slightly less than the length. During the last day of the most active stem growth, the width of the pileus made a rapid increase, from 8 to 20 mm. and continued broadening for 32 hours, after the stem had ceased to grow, until it reached 40 mm. At the same time the length continued increasing slowly till it reached 25 mm.

"The plant was growing six days and five nights, after its first appearance above the soil. The growth appeared to be no more rapid by night than by day. This was true also of the other specimens measured. In plant A the greatest growth which took place in any one period was during the third day. In the other plants it occurred sometimes by day and sometimes by night. * * *

"A few plants were marked to determine in what region of the stem the greatest growth took place. A section of the pileus was cut off in each case so that the whole stem, from the ground to the point where it joined the pileus, might be taken into account. The marks were placed 2 mm apart. The marked mushrooms were very sensitive to injury and for this reason I was not able to get records more than three times from each plant. The records show that the greatest increase in length took place near the top of the stem. It was usually not in the topmost interval, but in one or two down from the top, near the margin of the pileus. The plants grew for several intervals down the stem, but no growth took place in the lowest ones.

"These results in regard to the position of growth in the stem are similar to those obtained by J. Schmitz in 1841, from the Hymenomycetes. He divided the stem into thirds and found the greatest growth to take place in the topmost third, less growth in the middle third, and very slight or no growth in the bottom third. In some plants he divided his topmost interval into two parts and found that in many cases the topmost half grew less than the one beneath, although there were a great many variations from this."

New Cuban Mushrooms.—We find a brief account of scientific work heretofore done for the Island of Cuba, and two dozen new species described, and nearly all of them figured, in the First Annual Report of the Agricultural Experiment Station issued from Santiago de las Vagas, Cuba, by F. S. Earle. The report is in Spanish, as also is this account of "Algunos Hongos Cubanos," and the descriptions of the new species are published

in the same idiom. The first scientific account of Cuban Fungi was contained in the work of Ramon de la Sagra on the "Historia Fisica, Politica y Natural de la Isla de Cuba"; the account of Fungi is by the botanist Montague, an enumeration and description of 113 species, the title being "Les Plantes Cellulaires de Cuba." But little work has been done since, but Dr. Earle's activity promises now to increase materially our knowledge of the fungal flora of that country. And doubtless there are many "Mushrooms" for here we have already many new species detected. Five of them belong to the genus *Pocillaria,* which is but another

Fig. 202. LY-CO-PER'-DON WRIGHT'-I-I. A beautiful Puff-ball growing in the fields, easily recognized by the ornamentation. This consists of small spines about 2mm. long that presently flake off. Lloyd says: This little species is quite frequent in short grass, and takes kindly to yards, gardens and often to paths. It does not grow in Europe; it was originally described and named by the English botanist Berkeley to whom specimens were sent from this country.

name for Lentinus. To the genus *Phyllotus,* he ascribes two, to *Geopetalum* three, and to *Crepidotus* one species—all of these being the old genus *Pleurotus.* Other new species are *Galera,* three representatives; *Gymnochilus* (which is another name for *Hypholoma*), with five species; *Stropharia,* with two species; *Pholiotinia* (representing former Pholiota), with one species, and finally *Pholiota cubensis.*

USES OF MUSHROOMS.

Geo. F. Atkinson, Cornell University.

The most prominent and at present important use of mushrooms from the standpoint of the utilitarian is as an article of food. We have now learned that their food value as a nutrient substance is not so great as has been fondly supposed, but, as Mr. Clark points out in Chapter XXII, in addition to the value they certainly do possess as food, they have very great value as condiments or food accessories, and "their value as such is beyond the computation of the chemist or physiologist. They are among the most appetizing of table delicacies, and add greatly to the palatability of many foods when cooked with them." Mushrooms undoubtedly possess a food value beyond that attributed to them by the chemist or physiologist, since it is not possible in laboratory analysis to duplicate the conditions which exist in the natural digestion and assimilation of foods.

Probably the larger number of persons, in America, at present interested in mushrooms, are chiefly concerned with them as an article of food, but a great many of these persons love to tramp to the fields and woods in quest of them just as the sportsman loves to hunt his game with dog and gun. It is quite likely that there will always be a large body of persons who will maintain a lively interest in the collection of *game* mushrooms for food. There are several reasons for this. The zest of the search, the pleasure of discovery, and the healthfulness of the outdoor recreation, lend an appetizing flavor to the fruits of the chase, not to be obtained by purchasing a few pounds of cultivated mushrooms on the market. It cultivates powers of observation, and arouses a sympathetic feeling toward nature, and with those outdoor environments of man which lend themselves so happily in bettering and brightening life, as well as in prolonging it.

Many others are discovering that the observation of form and habits of mushrooms is a very interesting occupation for those who have short periods of time at their disposal weekly. It requires but a little observation to convince one that there is an interesting variety of form among these plants, that their growth and expansion operate in conformity with certain laws which result in great variation in form and habit of the numerous kinds on the ground, on leaves, on branches, on tree trunks, etc.—*Mushrooms, Edible, Poisonous, etc.*



Fig. 203. Po-ly'po-rus um-bel-la'-tus. Photo by Fred Mutchler, Clark University, Worcester, Mass.

Fig. 204. TRI-CHO-LO'-MA SUL-PHU'-RE-UM. This Brimstone Tricholoma is said to be common—but, perhaps, it is not to the same extent interesting. MacIlvaine says of it: "When quite young Tricholoma sulphureum is showy and inviting. Its smell is discouraging, its taste forbidding. No amount of cooking removes its unpleasant flavor. I have tried to eat enough of it to test its qualities, but was satisfied, after strenuous efforts, to mark it INEDIBLE."
The specimens from which the photo was made were collected by Supt. M. E. Hard, Chillicothe, Ohio, October 30, 1905.

The Mycological Bulletin is issued Monthly, Price 25c. Copies of Vol. II (1904) and Vol III (1905) may be had for 50 cents each, or cloth bound copies for 75 cents. No. copies remain of Vol. I (1902). Address W. A. Kellerman, Columbus, Ohio

THE OFFICIAL DEPOSITORY OF THE OHIO MYCOLOGICAL CLUB

SPECIAL SCHEDULE OF PRICES TO MEMBERS OF THE OHIO MYCOLOGICAL CLUB

Atkinson—Mushrooms Edible and Poisonous,	$2.60	($3.00)
Marshall—Mushroom Book	2.80	(3.00)
McIlvaine—One Thousand American Fungi .	4.80	(5.00)

These are the books recommended by Prof. Kellerman and orders may be sent through him or direct to us. The prices are special and on these terms, cash with the order, books will be sent express prepaid. Price in parenthesis is publisher's net list price, in each case.

L. S. WELLS

665 North High St. COLUMBUS, OHIO

The American Botanist

and

The Fern Bulletin

Have removed to JOLIET, ILL.

No changes except the address!

THE FERN BULLETIN is the only publication in the world devoted to Ferns.

THE AMERICAN BOTANIST is the only American Magazine devoted to Ecological Botany.

YOU NEED THEM BOTH—SAMPLES FREE.

You Can Use Engravings

in *your* business, just the same as other men use them. Time was when engravings were really too expensive for common use, but they are cheap now——————o

BUCHER ENGRAVING COMPANY

COLUMBUS, OHIO

Portraits, Buildings
Machinery, Live Stock
Advertising Cuts
Stationery Headings
Cover Pages, Etc.

We have a beautiful specimen book which shows the quality of our work, and we send it free on request

WRITE US ABOUT ANY KIND OF ENGRAVED DESIGN FOR ANY PURPOSE

We make the engravings for this Publication

NEW SPENCER MICROSCOPE



No. 404

No. 40 Stand
Abbe Condenser
Two Iris Diaphragms
Triple Nosepiece
16 mm. (2-3 ") Objective
4 mm. (1-6 ") Objective
2 mm. (1-12") Oil Immersion Objective
Two Eyepieces
Mahogany Cabinet

THE BEST

MICROSCOPE EVER OFFERED FOR

$75.00 BECAUSE:

The lenses are unsurpassed
The Stand is the product of the best of material and workmanship
The coarse and fine adjustments are the best made
The fine adjustment is protected by a neat handle provided for carrying the instrument
The stage is large—67 mm. free distance from the optical axis to the base of the arm is the greatest yet produced
The stage is completely covered with vulcanite from top to bottom

SPENCER LENS COMPANY
BUFFALO, N. Y.

Supplies for the Botanist

$ .30

Tripod Dissecting Microscope

A convenient and portable instrument for botanists, as it can be used for dissection when mounted, or the lens may be unscrewed and used as a pocket glass. It gives a large, clear image.

$3.25

Triple Aplanats

This magnifier consists of a crown lens cemented between two flint lenses and is thoroughly achromatic. It gives clear, flat images, free from distortion. The mountings are German silver, nickel plated.



DIAMETER, 3-4 IN. $1.50

Coddington Magnifier

This magnifier gives clear and perfect definition. The mountings are neatly finished and nickeled.

SEND FOR BOOKLET OF MAGNIFIERS AND READERS

Bausch & Lomb Optical Co.

Rochester, N. Y.

New York - Boston - Washington - Chicago - San Francisco